

Report No.: CTT2301030786EN

Page 1 of 3

Applicant:

Flashpoint Logistics

Address:

Flashpoint Logistics, 7804 Hermitage Dr, Fredericksburg, Virginia 22407

Sample Received Date:

Jan. 10, 2023

Completed Date:

Jan. 11, 2023

Report Date:

Jan. 13, 2023

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name:

Flame Retardant Paper

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	CPSC 16 CFR 1500.3(c)(6)(vi) Flammability of Solid	PASS

光型無检验

Signed for and on Behalf of CTT:

Authentication

Shelly

Technical Manager



Verification Report

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please laise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo). "s" means the term of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

1st-2nd Floor,Building 5,District B, Yingcai Entrepreneurship Park,No.E21,Xinke Road, Yiwu ,Zhejiang, China 322000 Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666



Report No.: CTT2301030786EN

Page 2 of 3

Test Result(s):

Flammability Test - CPSC 16 CFR 1500.44°

Material No.	Sample Description	Flammable Solid
1-1	Green light paper	NO *
1-2	Green paper	NO *
1-3	Blue paper	NO *
1-4	Light paper	NO *
1-5	Red paper	NO *
1-6	Yellow paper	NO *
1-7	Orange paper	NO *
1-8	Fuschia paper	NO *
1-9	Purple paper	NO *

Material No.	Ignition Point	Major Axis (Inch)	Burn Length (Inch)	Time (sec.)	Limit (Inch/sec.)	Burning Rate (Inch/sec.)
1-1	Edge	1.0	/	1	0.10	DNI
1-2	Edge	1.0	/	1	0.10	DNI
1-3	Edge	1.0	/	1	0.10	DNI
1-4	Edge	1.0	/	1	0.10	DNI -
1-5	Edge	1.0	/	1	0.10	DNI
1-6	Edge	1.0	/	1	0.10	DNI
1-7	Edge	1.0	/	1	0.10	DNI
1-8	Edge	1.0	/	1	0.10	DNI
1-9	Edge	1.0	/	1	0.10	DNI

- Note: 1. DNI = Did not ignite.
 - 2. "*" = CPSC 16 CFR 1500.3(c)(6)(vi) Flammable solid means a solid substance that, when tested by the method described in 16 CFR 1500.44, ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.
 - 3. All styles of the submitted toy samples (and its accessories) were tested, the above result only showed the most severe burn rate of the samples.

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666





Report No.: CTT2301030786EN

Page 3 of 3

Test Material List

Material No.	Sample Description	Location
1	Toy set	Toy set individual

Photo of Sample:





End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report No.: AJFS2211009088FF Date: NOV.16, 2022 Page 1 of 3

FLASHPOINT LOGISTICS

FLASHPOINT LOGISTICS, 7804 HERMITAGE DRIVE, FREDERICKSBURG, VA 22407

Sample Description: FLAME RETARDANT PAPER

SGS Ref No.: CZHL2211009057PA

Style/Item No.: /

The above sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

Test Requested:

NFPA 701:2019 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, test method 1.

Test Results: -- See attached sheet --

Conclusion: The tested sample "as received" passes the test method 1 of NFPA 701:2019.

Test Period:

Sample Receiving Date

: NOV.09, 2022

Test Performing Date

: NOV.09, 2022 TO NOV.15, 2022

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch

Echo Li

Approved Signatory







Report No.: AJFS2211009088FF

Date: NOV.16, 2022

Page 2 of 3

I. Test Conducted

The test was conducted in accordance with NFPA 701:2019 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films, test method 1.

II. Test Specimen

Description	Paper
Color	White
Area density	22 g/m ²
Material configuration	Single layer
Size of specimen	400 mm × 150 mm
Exposed surface	Smooth surface

Conditioning

Cleaning procedure: none

Prior to testing, the specimens were dried in oven at 105°C±3°C for 30 min.

III. Test Result

Specimen No.	Mass before test (g)	Mass after test (g)	Mass loss (%)	After flame time (s)	Burn time of fragments or residues (s)
1	1.44	1.05	27.08	0	0
2	1.42	0.98	30.99	0	0
3	1.42	0.99	30.28	0	0
4	1.43	1.02	28.67	0	0
5	1.44	1.06	26.39	0	0
6	1.41	1.07	24.11	0	0
7	1.42	1.04	26.76	0	0
8	1.43	1.03	27.97	0	0
9	1.43	1.02	28.67	0	0
10	1.42	1.04	26.76	0	0
Average	1.43	1.03	27.77	0	0

SD =2.00 3SD =6.00 Mean + 3SD =33.77

SD - Standards deviation





Report No.: AJFS2211009088FF

Date: NOV.16, 2022

Page 3 of 3

Observations:

Vigorousness of burning (Yes/No)	Material molten dripping (Yes/No)	Odor smoke (Yes/No)
No	No	Yes

Performance criteria for test method 1 (Chapter 10)

- 1. Fragments or residues of specimens that fall to the floor of the test chamber shall not continue to burn for more than an average of 2 seconds per specimen for the sample of 10 specimens.
- 2. The average weight loss of the 10 specimens in a sample shall be 40 percent or less.
- 3. No individual specimen's percent mass loss shall deviate more than 3 standard deviations from the mean for the 10 specimens.
- 4. When a retest is required, no individual specimen's percent mass loss in the second set of specimens shall deviate from the mean value by more than 3 standard deviations calculated for the second set.
- 5. When a sample does not demonstrate passing performance in accordance with all of the conditions indicated above, the material shall be recorded as having failed Test Method 1.

Statement: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

Photo Appendix:



SGS authenticate the photo on original report only

End of Report









Report No.: CTT2210012307EN

Page 1 of 3

Applicant: FLASHPOINT LOGISTICS

Address:

FLASHPOINT LOGISTICS, 7804 HERMITAGE DRIVE, FREDERICKSBURG, VA 22407

Sample Received Date:

Oct. 19, 2022

Completed Date:

Oct. 21, 2022

Report Date:

Oct. 22, 2022

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name:

flame retardant paper

Supplier:

Hangzhou Original Dot Art&Crafts company

Buyer:

Flashpoint Logistics

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	CPSC 16 CFR 1500.3(c)(6)(vi) Flammability of Solid	PASS

Signed for and on Behalf of CTT:

Carson Li

Technical Manager

Verification Report

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided by the applicant our company subject to the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received, without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Guangdong Consumer

No.7, Gongye Beisi Road, Songshanhu High-Tech Industrial Development Park, Dongguan, Guangdong, China.

Tel: 86-0769-8898 9888

Click For **luthentication**

Fax: 86-0769-8898 8808

Hot Line: 400 6789 666



Report No.: CTT2210012307EN

Page 2 of 3

Test Result(s):

Flammability Test - CPSC 16 CFR 1500.44

Material No.	Sample Description	Flammable Solid
1	White paper	NO *

	Material No.	Ignition Point	Major Axis (Inch)	Burn Length (Inch)	Time (sec.)	Limit (Inch/sec.)	Burning Rate (Inch/sec.)
-	1	Edge	14.2	/	/	0.10	DNI

- Note: 1. DNI = Did not ignite.
 - 2. IBE = Ignited but self-extinguished before burn-rate could be determined.
 - 3. "*" = CPSC 16 CFR 1500.3(c)(6)(vi) Flammable solid means a solid substance that, when tested by the method described in 16 CFR 1500.44, ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.
 - 4. All styles of the submitted toy samples (and its accessories) were tested, the above result only showed the most severe burn rate of the samples.

Test Material List

Material No.	Sample Description	Location
1	White paper	Individual

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and Accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to its General Conditions of Services and Accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided to the company subject to the company subjby the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.


Guangdong Consumer

No.7, Gongye Beisi Road, Songshanhu High-Tech Industrial Development Park, Dongguan, Guangdong, China. Tel: 86-0769-8898 9888 Fax: 86-0769-8898 8808 Hot Line: 400 6789 666



Report No.: CTT2210012307EN Page 3 of 3

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report only apply to the sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Guangdong Consumer

No.7, Gongye Beisi Road, Songshanhu High-Tech Industrial Development Park, Dongguan, Guangdong, China.
Tel: 86-0769-8898 9888 Fax: 86-0769-8898 8808 Hot Line: 400 6789 666



No.: SHTY150300004048

Date: Apr 02, 2015

Page 1 of 3

WUXI UNITE SFX CO.LTD NO.9TH, ZHANGSHENG ROAD, QIANQIAO, WUXI, JIANGSU, CHINA

The following samples were submitted and identified by/on behalf of the client as: CONFETTI PAPER/CONFETTI STREAMER

Sample Quantity

: 10 SETS

SGS Ref No.

SHHG1503009182TY

Style / Item No.

FIVE COLOURS OF METALLIC PVC CONFETTI; FIVE

COLOURS OF TISSUE CONFETTI

GOLD, SILVER, RED, GREEN, BLUE, WHITE, RED, BLUE, Y

ELLOW, PURPLE

Manufacturer

WUXI UNITE SFX CO,LTD

Country of Origin

CHINA

Country of Destination

EURO/ CANADA/USA

Sample Receiving Date

MAR 30, 2015

Further Information Date

APR 01, 2015

Testing Period

MAR 30, 2015 TO APR 02, 2015

Test Requested

Result

This is not a toy, the test(s) was applied as per client request. There may be additional hazards and labeling requirements that are not covered by this standard:

EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability

Clause 4.1 General requirements

Pass

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *************

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Wallace Lui

Senior Technical Manager, Asia

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/lerms_and_conditions. htm and_for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms_e-document.htm. Attention is drawn to the limitation of liability, indempited on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interveption only-amplitude in the limitation of its interveption only-amplitude in the limitation of the state of the company is sole responsibility is to its Client's in the comment does not exonerate parties to a transaction from expressing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any ungettion-rized alteration; typery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unloss there were a stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| 3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 | t (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮编:200233 t (86-21)61152312

f (86-21)61402590 f (86-21)61402590

www.cn.sqs.com e sgs.china@sgs.com



No.: SHTY150300004048

Date: Apr 02, 2015

Page 2 of 3

Test Results:

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

Clause

Description

4.1

SGS-CST

General requirements

Result **Pass**

Sample Photo:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and_for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, Indempilled on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only anolytic in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from expertising all their fliphic and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any ungettionized alterations, target or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless other was a stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| 3⁻³ Building,No.889,Yishan Road, Xuhur District Shanghai,China 200233 | 1 (86-21)61152312 中国・上海・徐汇区宜山路889号3号楼 邮编:200233

t (86-21)61152312

f (86-21)61402590 f (86-21)61402590


www.cn.sgs.com e sgs.china@sgs.com



No.: SHTY150300004048

Date: Apr 02, 2015

Page 3 of 3



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and_for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indempitioetic and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interveptor only annywhigh the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from experising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any ungifithorized alteration; to grey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless there was stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

100 111 | 3 Building, No. 889, Yishan Road, Xuhur District Shanghai, China 200233 | 1 (86-21)61152312

SGS-CS

t (86-21)61152312

f (86-21)61402590 f (86-21)61402590

www.cn.sqs.com e sgs.china@sgs.com



SECTION 1: Identification

1.1 Product identifier

Product name

Bleached and Colored Flameproof Tissue

1.2 Other means of identification

Confetti and/or Streamer.

1.3 Recommended use of the chemical and restrictions on use

Paper tissue confetti/streamer to be applied by hand or machine.

1.4 Supplier's details

Name Address Flashpoint Logistics, LLC

7804 Hermitage Drive Fredericksburg, VA 22407

USA

Telephone

631-335-1929

1.5 Emergency phone number(s)

631-335-1929

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

Not a hazardous substance or mixture.

2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC)

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

The product does not contain reportable quantities of hazardous ingredients.



SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled Not a likely route of exposure.

In case of skin contact Get medical attention if irritation or rash develops or persists. Wash with

plenty of soap and water.

In case of eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation persists, get medical

attention.

If swallowed Call a poison center or doctor if you feel unwell. If vomiting occurs naturally,

have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

If inhaled Not a likely route of exposure.

In case of skin contact

No adverse effects are normally expected.

In case of eye contact Direct exposure may cause mild eye irritation.

If swallowed May cause gastrointestinal irritation and other adverse effects.

Signs/symptoms may include abdominal pain, stomach upset, nausea,

vomiting and diarrhea.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Hazardous combustion products: carbon oxides and other potentially toxic gases and fumes.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practices.

6.2 Environmental precautions

No special precautions.



6.3 Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and arrange disposal in accordance with applicable Federal, State and local laws and regulations. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practices. Do not ingest the product. Avoid sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry place at room temperature.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No applicable substance specific occupational exposure limits.

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Not normally required. Safety glasses are recommended if eye exposure risk exists during product handling/processing.

Skin protection

Not normally required. Protective gloves, such as nitrile gloves, are recommended in case of prolonged/repeated exposure during product handling/processing.

Body protection

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Provide adequate ventilation Respiratory protection is not required under normal use conditions.

Thermal hazards

No data available.

Environmental exposure controls

No special precautions.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties



Appearance/form (physical state, color, etc.)

Odor

Odor threshold

pΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point Evaporation rate

Flammability (solid, gas) Upper/lower flammability limits Upper/lower explosive limits

Vapor pressure Vapor density Relative density

Density Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties Oxidizing properties

Other safety information

No data available.

Solid of various colors.

No odor.

No data available.

Not applicable.

No data available.

No data available.

No data available.

No data available.

Not applicable.

No data available.

No data available. No applicable.

Not explosive.

Not oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

Non-reactive under normal use conditions.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Keep away from sources of ignition.

10.5 Incompatible materials

Strong oxidizers, acids, bases.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Likely Routes of Exposure: Eye contact. Skin contact.

If inhaled

Not a likely route of exposure.



In case of skin contact

No adverse effects are normally expected.

In case of eye contact

Direct exposure may cause mild eye irritation.

If swallowed

May cause gastrointestinal irritation and other adverse effects.

Signs/symptoms may include abdominal pain, stomach upset, nausea.

vomiting and diarrhea.

Acute toxicity

Based on available data, classification criteria are not met

Skin corrosion/irritation

Based on available data, classification criteria are not met

Serious eye damage/irritation

Based on available data, classification criteria are not met

Respiratory or skin sensitization

Based on available data, classification criteria are not met

Germ cell mutagenicity

Based on available data, classification criteria are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Based on available data, classification criteria are not met

STOT-single exposure

Based on available data, classification criteria are not met

STOT-repeated exposure

Based on available data, classification criteria are not met

Aspiration hazard

Based on available data, classification criteria are not met

SECTION 12: Ecological information

Toxicity

No data available on product.

Persistence and degradability

No data available on product.

Bioaccumulative potential

No data available on product.

Mobility in soil

No data available on product.



Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: Disposal considerations

Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.


SARA 311/312 Hazards

No SARA hazards.

SARA 313 Components


This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

HMIS Rating





NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

Date of issue: October 03, 2022.

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. All materials may present unknown hazards and should be used with caution. In no event shall we be held liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if we have been advised of the possibility of such damages.